



# **Choose life**

A cup of mellow coffee to open the day of beauty: grinding, extraction, latte, milk foam, just for your exquisite.









# Semi-automatic Coffee Machine

#### TCMSA01M

#### PRODUCT FUNCTION

Button control panel

Function: Single & Double Espresso, Americano, Hot Water, Steam, Clean.

20 bar professional Italian pump

Removable 2.5L transparent water tank

Removable transparent bean box, the maximum loading is 250g

Removable drip tray

Rotating stainless steel steam wand, make it much easier for milk frothing

15 precision grind size settings

Dose-control knob can help to minor adjust the dose amount for different flavor

With the visual thermometer and pressure gauge, easy and clear for operation

Three different temperature selection for different taste

Indicator light to remind user if forget to install the bean box, grinder, water tank, or if the tank is lack of water, or if the machine need to be cleaned

• PRODUCT PARAMETER • LOADING
Stainless steel housing 1PC/BOX
Capacity: 2.5L 20'GP:280PCS

Capacity: 2.5L 20'GP:280PCS
Rated Power: 1550W 40'GP:280PCS
N.W.: 10.4Kg 40'HQ:725PCS
G.W.: 12Kg • COLOR

Product Size:321\*285\*345(mm)

# Semi-automatic Coffee Machine

#### TCMSA01L

#### PRODUCT FUNCTION

Button control panel

Function: Single & Double Espresso.Steam, Clean.

20 bar professional Italian pump

Removable 2.5L transparent water tank

Removable transparent bean box, the maximum loading is 250g

Removable drip tray

Rotating stainless steel steam wand, make it much easier for milk frothing

15 precision grind size settings, Dose-control knob can help to minor adjust the dose

mount for different flavor

With the visual pressure gauge, easy and clear for operatilndicator light to remind user if forget to install the bean box, grinder, water tank, or if the tank is lack of water, or if the machine need to be cleaned

Three different temperature selection for different taste

 • PRODUCT PARAMETER
 • LOADING

 Stainless steel housing
 1PC/BOX

 Capacity: 2.5L
 20GP:280PCS

 Rated Power: 1550W
 40GP:580PCS

 N.W.: 10.4Kg
 40HQ:725PCS

 G.W.: 12Kg
 • COLOR

Product Size: 321\*285\*345(mm)



# **Semi-automatic Coffee Machine**

#### TCMSA01T

#### PRODUCT FUNCTION

Touch screen control panel.

Function: Single & Double Espresso, Americano, Hot Water, Steam, Clean.

20 bar professional Italian pump

Removable 2.5L transparent water tank

Removable transparent bean box, the maximum loading is 250g

Removable drip tray

Rotating stainless steel steam wand, make it much easier for milk frothing

15 precision grind size settings

Product Size:321\*285\*345(mm)

Dose-control knob can help to minor adjust the dose amount for different flavor With the visual thermometer and pressure gauge, easy and clear for operation

Three different temperature selection for different taste

Indicator light to remind user if forget to install the bean box, grinder, water tank, or if the tank is lack of water, or if the machine need to be cleaned

 • PRODUCT PARAMETER
 • LOADING

 Stainless steel housing
 1PC/BOX

 Capacity: 2.5L
 20'GP:280PCS

 Rated Power: 1550W
 40'GP:580PCS

 N.W.: 10.4Kg
 40'HO:725"PCS

 G.W.: 12Kg
 • COLOR

# Noitavonne Semi-automatic Coffee Machine TCMSA02M PRODUCT FUNCTION Rutton control panel Function: Single & Double Espresso, Americano, Hot Water, Steam, Clean, 20 bar professional Italian pump Removable 2.5L transparent water tank Removable transparent bean box, the maximum loading is 250g Rotating stainless steel steam wand, make it much easier for milk frothing 15 precision grind size settings With the visual thermometer and pressure gauge, easy and clear for operation Indicator light to remind user if forget to install the bean box, grinder, water tank, or if the tank is lack of water, or if the machine need to be cleaned PRODUCT PARAMETER LOADING Stainless steel housing 1PC/BOX 20'GP:280PCS Capacity: 2.5L 40'GP:580PCS Rated Power: 1550W N.W.: 10.4Kg 40'HQ:725PCS G.W.: 12Ka • COLOR Product Size:321\*285\*345(mm)







# Semi-automatic Coffee Machine

#### TCMSA02L

PRODUCT FUNCTION

Button control panel

Function: Single & Double Espresso, Steam, Clean.

20 bar professional Italian pump

Removable 2.5L transparent water tank

Removable transparent bean box, the maximum loading is 250g

Removable drip trav

Rotating stainless steel steam wand, make it much easier for milk frothing

15 precision grind size settings

With the visual pressure gauge, easy and clear for operation

Indicator light to remind user if forget to install the bean box, grinder, water tank, or

if the tank is lack of water, or if the machine need to be cleaned

 LOADING PRODUCT PARAMETER Stainless steel housing 1PC/BOX Capacity: 2.5L 20GP:280PCS Rated Power: 1550W 40GP:580PCS N.W.: 10.4Ka 40HQ:725PCS G.W.: 12Kg • COLOR Product Size: 321\*285\*345(mm)

# Semi-automatic Coffee Machine

#### TCMSA03

PRODUCT FUNCTION

Button control panel, LCD display

Function: Single & Double Espresso, Americano, Hot Water, Steam, Clean.

20 bar professional Italian pump

Removable 2.5L transparent water tank

Removable transparent bean box, the maximum loading is 250g Removable drip trav

Rotating stainless steel steam wand, make it much easier for milk frothing

15 precision grind size settings

With the visual pressure gauge, easy and clear for operation

Indicator light to remind user if forget to install the bean box, grinder, water tank, or if the tank is lack of water, or if the machine need to be cleaned

 PRODUCT PARAMETER LOADING Stainless steel housing 1PC/BOX Capacity: 2.5L 20'GP:280PCS Rated Power: 1550W 40'GP:580PCS N.W.: 10.4Kg 40'HQ:725PCS G.W.: 12Kg COLOR Product Size:321\*285\*345(mm) • •

# **Semi-automatic Coffee Machine**

#### TCMSA04

PRODUCT FUNCTION

Button control panel, LCD display

Function: Single & Double Espresso, Americano, Hot Water, Steam, Clean.

20 bar professional Italian pump

Removable 2.5L transparent water tank

Removable transparent bean box, the maximum loading is 250g

Removable drip tray

Rotating stainless steel steam wand, make it much easier for milk frothing

15 precision grind size settings

With the visual temperature and pressure gauge, easy and clear for operation Indicator light to remind user if forget to install the bean box, grinder, water tank, or if the tank is lack of water, or if the machine need to be cleaned

 LOADING PRODUCT PARAMETER 1PC/BOX Stainless steel housing 20'GP:280PCS Capacity: 2.5L 40'GP:580PCS Rated Power: 1550W N.W.: 10.4Kg 40'HQ:725PCS G.W.: 12Kg

Product Size:321\*285\*345(mm)













# **Espresso Coffee Machine**

#### TCME03M

## PRODUCT FUNCTION

Touch screen control panel

Function: Single & Double Espresso, Americano, Hot Water, Steam.

15/20 bar professional Italian pump

Removable 1.3L transparent water tank&drip tray

Rotating stainless steel steam wand, make it much easier for milk frothing

With the visual pressure gauge, easy and clear for operation

Three temperature settings

• PRODUCT PARAMETER LOADING Stainless steel housing 20'GP: 816PCS Capacity: 1.3L 40'GP: 1632PCS Rated Power: 1350W 40'HQ: 1902PCS N.W.: 4.2Kg

G.W.: 5.2Ka

Product Size: 400\*135\*302(mm)

# **Espresso Coffee Machine**

#### TCME01M

#### • PRODUCT FUNCTION

Button control panel, Lever power switch, easy to use

5 bar professional Italian pump

Removable 1.3L transparent water tank&drip tray

Rotating stainless steel steam wand, make it much easier for milk frothing With the visual pressure gauge, easy and clear for operation

#### • PRODUCT PARAMETER

• LOADING 20'GP: 816PCS Stainless steel housing Capacity: 1.3L 40'GP: 1632PCS Rated Power: 1350W 40'HQ: 1902PCS

N.W.: 4.2Kg G.W.: 5.2Kg

Product Size:400\*135\*302(mm)



 LOADING 20'GP: 816PCS

40'GP: 1632PCS

40'HQ: 1902PCS

• COLOR

# **Espresso Coffee Machine**

#### TCME02L

#### PRODUCT FUNCTION

Button control panel, Lever power switch, easy to use

Function: Single & Double Espresso, Hot Water, Steam.

15 bar professional Italian pump

Removable 1.3L transparent water tank&drip trav

Rotating stainless steel steam wand, make it much easier for milk frothing

With the visual pressure gauge, easy and clear for operation

#### PRODUCT PARAMETER

Stainless steel housing Capacity: 1.3L Rated Power: 1350W N.W.: 4.2Kg G.W.: 5.2Kg

Product Size:400\*135\*302(mm)









# **Capsule Coffee Machine**

#### TCMC01

#### . . . . . . . . .

PRODUCT FUNCTION
 Touch-screen control panel.

Function: Espresso, Lungo.

SINGLE SERVE COFFEE MACHINE: Have the ability to create barista grade brewed single serve Coffee or Espresso cups at the touch of a single button.

Compatible with most capsules,

 • PRODUCT PARAMETER
 • LOADING

 Stainless steel housing
 1PC/BOX

 ABS top cover and base cover.
 20'GP: 1037PCS

 Capacity: 1L
 40'GP:2520PCS

 Rated Power: 1200W
 40'HQ:2880PCS

 N.W.: 2.8Kg

G.W.: 3.85Kg

Product size:352\*116\*248.5(mm)





# **Capsule Coffee Machine**

#### TCMC02

#### PRODUCT FUNCTION

Button control

Function:Ristretto, Espresso, Lungo

SINGLE SERVE COFFEE MACHINE: Have the ability to create barista grade brewed single serve Coffee or Espresso cups at the touch of a single button. Compatible with most capsules

 • PRODUCT PARAMETER
 • LOADING

 Stainless steel housing
 1PC/BOX

 ABS top cover and base cover.
 20°GP: 1037PCS

 Capacity: 1L
 40°GP:2520PCS

 Rated Power: 1200W
 40°HQ:2880PCS

N.W.: 2.8Kg G.W.: 3.85Kg

Product size:339\*117\*249(mm)





# 2 in 1 Coffee Machine

#### TCMC04

#### PRODUCT FUNCTION

Touch-screen control panel

Function: Americano, and with 3 temperature settings of 60°C, 80°C, 100°C for water or leaf tea With 1L removalbe water tank

Only touch one single button, then can enjoy a single serve coffee or tea or water

PRODUCT PARAMETER
 Stainless steel housing

ABS top cover and base cover Capacity: 1L

Rated Power: 1200W

N. W.: 3Kg G.W.: 4.05Kg

Product size: 339\*117\*249(mm)

• LOADING

1PC/BOX 20GP:1037PCS 40GP:2520PCS 40HQ:2880PCS









# **Grind and Brew Automatic Coffee Machine**

#### TCMD03

• PRODUCT FUNCTION

Touch screen control panel, LCD display

The built-in grinder perfectly grinds fresh beans for a quality cup of coffee every time.

One Touch Simplicity to brew your perfect cup, every time. 3 Brew Styles: Low, Medium, High

Can select different brew size up to 14-cup

With the glass carafe

• PRODUCT PARAMETER

Stainless steel housing 1PC/BOX Glass carafe 20'GP:653PCS Capacity: 14CUPS 40'GP:1220PCS

Rated Power: 1000W 40'HQ:1448PCS N. W.: 4.8Kg • COLOR G.W.: 6.2Kg

Product size: 210.4\*231.2\*432(mm)



LOADING

# Portable Cold Brew Coffee Machine

#### MK4000

PRODUCT FUNCTION

Capacity of separate water tank 300ML DC5V air pump

Detachable capsule holder for easy cleaning High boron glass coffee cup Non-slip silicone sleeve

Use Americano capsules 2 minutes to finish making coffee Type-C interface

Work indicator light display

Food grade materials in contact with water, BPA free

• PRODUCT PARAMETER LOADING Capacity: 300ML 9158pcs/40'HQ

Rated Power: 2W N.W.: 0.5Ka G.W.: 0.58Ka

Product Size: 150\*150\*210mm

• COLOR



# Portable Cold Brew Coffee Machine

#### MK206

• PRODUCT FUNCTION

Transparent water tank capacity 150ML Transparent water tank cover

Stainless steel coffee filter cup

Clear coffee cups

Removable filter cup holder is easy to clean

Food grade materials in contact with water, BPA free

• PRODUCT PARAMETER

LOADING

Capacity: 150ML 9158pcs/40'HQ

Rated Power: 2W N.W.: 0.5Kg G.W.: 0.58Kg

Product Size: 100\*100\*235mm







# **Enjoy life**

Perfect for taste enjoyment Perfect for life decoration Love life Love yourself









# Pizza Oven

#### TXPO2301

#### PRODUCT FUNCTION

Mechanical control panel, with knob to adjust temperature, heating time and heating mode,

With the visual glass window, can observe the whole cooking process

Double layer glass structure with good insulation effect

12 liter capacity fits in any kitchen but takes up very little counter space.

The temperature inside the cavity can rise to 400-430 °C, can complete pizza baking in 3 minutes

• PRODUCT PARAMETER

0.4mm SUS304 brushed stainless steel housing 1PC/BOX Capacity: 12Inch 20GP:240

Capacity: 12Inch 2
Rated Power: 1800W 4
N.W.: 15.4Kg 4
G.W.: 16.8Kg

Product Size:480\*290\*510(mm)



20GP:240PCS 40GP:480PCS 40HQ:560PCS

• COLOR



# Pizza Oven

#### TXPO2302

#### PRODUCT FUNCTION

Mechanical control panel, with knob to adjust temperature and heating time, easy to operate

With the visual glass window, can observe the change of food

Double layer glass structure with good insulation effect

The temperature inside the cavity can rise to 400-430 °C, can complete pizza baking in 3 minutes

PRODUCT PARAMETER

Capacity: 12Inch Rated Power: 1800w N.W.: 15.8Kg G.W.: 17.2Kg

Product Size:490\*294\*525(mm)

#### LOADING

1PC/BOX 20GP:240PCS 40GP:480PCS 40HQ:560PCS

COLOR

•

# Pizza Oven

#### TXPO2303

#### • PRODUCT FUNCTION

Touch screen control panel, with knob to operate, easy to use

Function: Broil, Toast, Bagel, Bake, Reheat, Keep Warm, Whole Roast, Air Roast, Air Fry, Pizza,

With the visual glass window, can observe the whole cooking process

Double layer glass structure with good insulation effect

Can have two ways of cooking on the top and on the bottom at the same time

PRODUCT PARAMETER

0.4mm SUS304 brushed stainless steel housing

Capacity: 32L

Rated Power: 1800W N.W.: 13.6Kg G.W.: 14.8Kg

Product Size:450\*380\*497(mm)

LOADING

1PC/BOX 20GP:220PCS 40GP:440PCS

40HQ:440PCS
• COLOR

1



# Meet you meet love

Grain full and sweet, life is delicate while having it, taking care of your taste for all seasons.









# Mini Rice Cooker

#### ERC-C08

#### PRODUCT FUNCTION

Button control panel, LED diaplay

Portable compact size

Function: White Rice, Brown Rice, Porridge, Keep Warm

Precise temperature control and prevent overflow

Removable inner cover, easy to clean

Removalbe inner pot with food-grade non-stick coating, easy to cook and clean

LOADING

Removable power cord, easy to store Can cook up to 1.5-cup of raw rice

#### PRODUCT PARAMETER

Plastic top cover, housing and base. 4PCS/BOX
Capacity: 0.8L 20'GP:2552PCS

 Rated Power: 200W
 40'GP:5220PCS

 N.W.: 1.42Kg
 40'HQ:5220PCS

 G.W.: 7.4Kg
 ◆ COLOR

Product Size:185\*187\*179(mm)



#### ERC-A20

#### PRODUCT FUNCTION

Button control panel, LED display

Function: White Rice, Brown Rice, Porridge, Keep Warm

Precise temperature control and prevent overflow

Removable inner cover, easy to clean

Removalbe inner pot with food-grade non-stick coating, easy to cook and clean

Removable power cord, easy to store

Can cook up to 4-cup of raw rice

## PRODUCT PARAMETER

Plastic top cover, housing and base cover 2PCS/BOX Capacity: 2L 20GP:1332PCS Rated Power: 500W 40GP:2376PCS

N.W.: 2.47Kg G.W.: 6.37Kg

Product Size: 222\*249\*190(mm)

COLOR



40HQ:2904PCS

LOADING

# **Rice Cooker**

#### ERC-A40

#### PRODUCT FUNCTION

Touch screen control panel, LED diaplay

Function: White Rice, Brown Rice, Oatmeal, Steam, Porridge, Soup, Slow Cook, Keep Warm

Precise temperature control and prevent overflow

Removable inner cover, easy to clean

Removalbe inner pot with food-grade non-stick coating, easy to cook and clean

Removable power cord, easy to store Can cook up to 8-cup of raw rice

-----

#### PRODUCT PARAMETER

 Plastic cover,housing and base
 1PC/BOX

 Capacity: 4L
 20'GP:658PCS

 Rated Power: 860W
 40'GP:1393PCS

Rated Power: 860W 40'GP:1393PCS N.W.: 3.6Kg 40'HQ:1592PCS

G.W.: 5.2Kg

Product Size: 309\*264\*224 (mm)

• COLOR



LOADING





#### ERC-K12A

#### PRODUCT FUNCTION

Touch screen control panel, LED display

Function: White Rice, Brown Rice, Oatmeal, Beans, Keep Warm

Portable compact size

Precise temperature control and prevent overflow

Removable inner cover, easy to clean

Removalbe inner pot with food-grade non-stick coating, easy to cook and clean

Removable power cord, easy to store Can cook up to 3-cup of raw rice

• PRODUCT PARAMETER

Plastic top cover, housing and base. Capacity: 1.2L Rated Power: 240W

N.W.: 1.6Kg G.W.: 7.15Ka

Product Size:190\*210\*190(mm)

LOADING

4PCS/BOX 20'GP:1840PCS 40'GP:3760PCS 40'HQ:4692PCS

• COLOR

. . .



# Rice Cooker

#### ERC-K20

#### PRODUCT FUNCTION

Touch screen control panel, LED diaplay

Function: White Rice, Brown Rice, Steam, Oatmeal, Low Carb Rice, Keep Warm

Double temperature control sensor, precise temperature control and prevent overflow

Removable inner cover, easy to clean

Removable inner pot with food-grade Japanese Daikin non-stick coating, easy to cook and clean Removable power cord, easy to store

LOADING

COLOR

• • •

Can cook up to 4-cup of raw rice

• PRODUCT PARAMETER

Plastic top cover, housing and base. 1PC/BOX Capacity: 2L 20'GP:872PCS Rated Power: 450W 40'GP:1832PCS N.W.: 3.8Ka 40'HQ:2061PCS G.W.: 5.1KG

Product Size:287\*237\*219(mm)



# **Rice Cooker**

#### ERC-K30C

#### PRODUCT FUNCTION

Touch screen control panel, LED diaplay

Function: White Rice, Brown Rice, Steam, Oatmeal, Low Carb Rice, Keep Warm

Double temperature control sensor, precise temperature control and prevent overflow

Removable inner cover, easy to clean

Removable inner pot with food-grade Japanese Daikin non-stick coating, easy to cook and clean

Removable power cord, easy to store

Can cook up to 6-cup of raw rice

#### PRODUCT PARAMETER

Plastic top cover, housing and base cover Capacity: 3L Rated Power:650W

N.W.: 4.8Ka G.W.: 6Kg

Product Size:304\*260\*213(mm)



1PC/BOX 20'GP:864PCS 40'GP:1776PCS 40'HQ:1998PCS

COLOR



# Rice Cooker

#### TRC-RH850A

## PRODUCT FUNCTION

Mechanical control panel

Function: Cook Rice, Keep Warm

Removable aluminum inner pot with nonstick coating interior, easy to cook and clean

Can cook up to 10-cup of dry rice

Removable power cord, easy to store

#### • PRODUCT PARAMETER LOADING

Stainless steel housing, black plastic parts 2PCS/BOX 20GP:880PCS Capacity: 5L 40GP:1804PCS Rated Power: 700W N.W.: 3.35Kg 40HQ:2062PCS G.W.: 7.25Ka COLOR

Product Size: 281\*278\*282(mm)

# Rice Cooker

#### TRC-RH850B

#### PRODUCT FUNCTION

Mechanical control panel

Function: Cook Rice, Keep Warm

Removable aluminum inner pot with nonstick coating interior, easy to cook and clean

Can cook up to 10-cup of dry rice

Removable power cord, easy to store

#### PRODUCT PARAMETER

Stainless steel housing, black plastic parts

Capacity: 5L Rated Power: 700W

N.W.: 3.35Kg G.W.: 7.25Kg

Product Size: 281\*278\*282(mm)

2PCS/BOX 20GP:880PCS 40GP:1804PCS 40HQ:2062PCS

LOADING

• COLOR

# Rice Cooker

#### TX-A50T

#### PRODUCT FUNCTION

Digital control panel, LED display

Function: white rice, multi-grain, steam, oatmeal, cake, saute, delay timer, keep warm,

Removable aluminum inner pot with nonstick coating interior, easy to cook and clean Can cook up to 10-cup of raw rice

#### PRODUCT PARAMETER

Metal housing plastic cover and base

Capacity: 5L Rated Power: 850W N.W.: 3.1Kg G.W.: 7.15Ka

Product Size:275\*275\*310(mm)

#### LOADING

2PCS/BOX 20'GP:930PCS 40'GP:1861PCS 40'HQ:2127PCS













# **Patent of Low-Carb Tray**



IH heating quickly and evenly dissolves starch in rice



Separate part of the starch solution through the Low-Carb tray



With the micro-pressure space formed by Low-Carb rice steamer / funnel and inner pot, makes the rice more tasty













# **Induction Rice Cooker**

#### CIH-K20

#### PRODUCT FUNCTION

Touch screen control panel, LED display

Function: White Rice, Brown Rice, Steam, Oatmeal,

Low Carb Rice, Keep Warm.

Induction 3D heating system, make cooking faster and evenly.

Double temperature control sensor, precise temperature control

and prevent overflow

Removable inner cover, easy to clean

Removalbe inner pot with food-grade Japanese Daikin non-stick

coating, easy to cook and clean

Removable power cord, easy to store

Can cook up to 4-cup of raw rice

#### PRODUCT PARAMETER

 LOADING Plastic top cover, housing and base. 1PC/BOX

20'GP:872PCS Capacity: 2L Rated Power: 1100W 40'GP:1832PCS N.W.: 3.8Kg 40'HQ:2061PCS G.W.: 5.1KG

COLOR Product Size:287\*237\*219(mm)

# **Induction Rice Cooker**

#### CIH-K30B

#### PRODUCT FUNCTION

Touch screen control panel, LED display

Function: White Rice, Brown Rice, Steam, Oatmeal, Low Carb Rice, Keep Warm.

Induction 3D heating system, make cooking faster and evenly.

Double temperature control sensor, precise temperature control and prevent overflow Removable inner cover, easy to clean

Removalbe inner pot with food-grade Japanese Daikin non-stick coating, easy to cook

LOADING

Removable power cord, easy to store Can cook up to 6-cup of raw rice.

PRODUCT PARAMETER

Plastic top cover, housing and base cover 1PC/BOX Capacity: 3L

20GP:864PCS Rated Power:1100W 40'GP:1776PCS N.W.: 4.3Kg 40'HQ:1998PCS G.W.: 5.6Kg

• COLOR Product Size: 304\*260\*213(mm)  $\bullet$ 

# **Induction Rice Cooker**

#### CIH-K30A

#### PRODUCT FUNCTION

Touch screen control panel with LED display

Function: White Rice, Brown Rice, Steam, Oatmeal, Low Carb Rice, Keep Warm.

Induction 3D heating system, make cooking faster and evenly.

Double temperature control sensor, precise temperature control and prevent overflow Removable inner cover, easy to clean

Removalbe inner pot with food-grade Japanese Daikin non-stick coating, easy to cook and

Can cook up to 6-cup of raw rice.

#### PRODUCT PARAMETER

Plastic top cover, housing and base cover Capacity: 3L

 LOADING 1PC/BOX 20GP:864PCS 40'GP:1776PCS

Rated Power:1100W NW.: 4.8Kg 40'HQ:1998PCS

G.W.: 6Kg • COLOR Product Size:304\*260\*213(mm)













# **Pressure Cooker**

#### TX - T3001

### PRODUCT FUNCTION

Touch screen control panel with LED display, with the knob to operate, easy to use. Function: Rice, Porridge, Pasta, Cake, Meat, Fish, Soup, Fry, Steam, Bake, Slow cook, Saute, Yogurt, Bean, Keep warm, etc.

Multi-safe-device ensure cooking stable and reliable

Removable inner cover, easy to clean

Removable cooking pot with food grade non-stick coating, easy to cook and wash. Removable power cord

. .

• PRODUCT PARAMETER LOADING Steel painted housing 1PC/BOX Capacity: 3L 20'GP:714PCS Rated Power: 1000W 40'GP:1428PCS N.W.: 5.15Kg 40'HQ:1632PCS G.W.: 5.61Kg • COLOR

# **Pressure Cooker**

#### CY-T60/T28

#### PRODUCT FUNCTION

Product Size:331\*314\*251(mm)

Touch screen control panel with LED display.

Function: Rice, Porridge, Pasta, Cake, Meat, Fish, Soup, Fry, Steam, Bake, Slow cook, Saute, Yogurt, Bean, Keep warm, etc.

Multi-safe-device ensure cooking stable and reliable

Removable inner cover, easy to clean

Removable cooking pot with food grade non-stick coating, easy to cook and wash. Removable power cord

#### PRODUCT PARAMETER LOADING

Capacity: 6L / 2.8L 2PCS/BOX 4PCS/BOX Rated Power: 1000W / 730W 20'GP: 708PCS 20'GP:860PCS N.W.: 5.85Kg / 3.85Kg 40'GP:1464PCS 40'GP:1820PCS G.W.: 12Kg / 15.6Kg 40'HQ:1708PCS 40'HQ:2120PCS

Product Size:330\*305\*310 / 280\*265\*268(mm)



# **Pressure Cooker**

CY-S20 、S20A 、JX20

#### PRODUCT FUNCTION

Button control panel with LED display

Function: Rice, Porridge, Pasta, Cake, Meat, Fish, Soup, Fry, Steam, Bake,

Slow cook, Saute, Yogurt, Bean, Keep warm, etc. Multi-safe-device ensure cooking stable and reliable

Removable inner cover, easy to clean

Removable cooking pot with food grade non-stick coating, easy to cook and wash.

Removable power cord

#### • PRODUCT PARAMETER

 LOADING 4PCS/BOX Capacity: 2L Rated Power: 700W 20'GP:1344PCS N.W.: 2.89Kg 40'GP:2816PCS G.W.: 12.36Kg 40'HQ:3360PCS Product Size:210\*230\*225(mm) COLOR







# Kettle

#### TXK2301

#### PRODUCT FUNCTION

An easy-to-read digital screen showing the real-time temperature of the water Cool touch handle

Capacity is 1.5L

Titanium & Aluminum alloy heating plate or Microcrystalline film heating

 • PRODUCT PARAMETER
 • LOADING

 Capacity: 1.2L
 1PC/BOX

 Rated Power: 1200w
 20GP: 2420PCS

 N.W.: 2.1Kg
 40GP:55060PCS

 G.W.: 2.5Kg
 40HQ:5580PCS

 Product Size: 150\*220\*253(mm)
 • COLOR



# Kettle

#### TXK2302

#### PRODUCT FUNCTION

An easy-to-read digital screen showing the real-time temperature of the water Digital control panel with the function of Hot Water, Tea, Medicated Diet, Sterilize, etc. Cool touch handle

Capacity is 1.8L

Titanium & Aluminum alloy heating plate or Microcrystalline film heating

 • PRODUCT PARAMETER
 • LOADING

 Capacity: 1.2L
 1PC/BOX

 Rated Power: 1200w
 20GF: 2480PCS

 N.W.: 2.3Kg
 40GP:5160PCS

 G.W.: 2.8Kg
 40HQ:5680PCS

 Product Size:199\*160\*266(mm)
 • COLOR



# Kettle

#### TXK2303

#### PRODUCT FUNCTION

An easy-to-read digital screen showing the real-time temperature of the water Buttom control panel with the function of Hot Water, Regimen,Tea, Medicated food,

Dessert, Disinfect, etc.

Cool touch handle

Capacity is 1.5L

Titanium & Aluminum alloy heating plate or Microcrystalline film heating

 • PRODUCT PARAMETER
 • LOADING

 Stainless steel housing
 1PC/BOX

 Capacity: 1.5L
 20GP:2079PCS

 Rated Power: 1200w
 40GP:4312PCS

 N.W.: 2.4Kg
 40HQ:4928PCS

 G.W.: 2.96Kg

Product Size:233\*215\*275(mm)



# Mini Blender

#### TXMB2303

#### PRODUCT FUNCTION

Knob control panel easy to use

Function: Meal bag, Soybean milk, Boiling, Scented tea, and homemade, self-cleaning Just one pressing, then only need to wait and enjoy the delicious food at any time;

4. Equipped with altitude calibration function to avoid overflow

With the Lid alignment detection to ensure the lid is closed properly before starting work Eight leaf blade, stirring more finely

Ceramic glaze coating for easier cleaning

Visible transparent window for observing cooking conditions at any time

Cool touch Side and cover handle

The glass mouth protrudes, making it safer to pour out food

<ul> <li>PRODUCT PARAMETER</li> </ul>	<ul> <li>LOADING</li> </ul>
Capacity:1L	1PC/BOX
(Hot drink:900ml, Cold drink:1000ml)	20'GP: 1720PCS
Rated Power: 800w	40'GP:3440PCS
N.W.: 2Kg	40'HQ:4269PCS
G.W.: 2.9Kg	• COLOR
Product Size:182*133*337(mm)	



# Mini Blender

#### TXMB2304

#### PRODUCT FUNCTION

Touch screen control panel

Function:Meal bag, Soybean milk, Boiling, Scented tea, and homemade, self-cleaning Just one pressing, then only need to wait and enjoy the delicious food at any time:

Equipped with altitude calibration function to avoid overflow

With the Lid alignment detection to ensure the lid is closed properly before starting work Eight leaf blade, stirring more finely

Ceramic glaze coating for easier cleaning

Visible transparent window for observing cooking conditions at any time

Cool touch Side and cover handle

The glass mouth protrudes, making it safer to pour out food

<ul> <li>PRODUCT PARAMETER</li> </ul>	<ul> <li>LOADING</li> </ul>
Capacity:1L	1PC/BOX
(Hot drink:900ml, Cold drink:1000ml)	20GP:2304PCS
Rated Power: 800w	40GP:4700PCS
N.W.: 2Kg	40HQ:5292PCS
G.W.: 2.9Kg	• COLOR
Product Size:182*133*337(mm)	



# Japanese Style Mini Multi Cooker

#### SK-M01

#### PRODUCT FUNCTION

Lever control panel, with different temperature setting, easy to operate.

Removable cooking container with the cool touch handle, easy and safe to take.

• COLOR

Detachable steamer, extend the cooking possibility

Food grade ceramic coating, easy to clean.

It won't work without the cooking container.

Removable power cord"

<ul> <li>PRODUCT PARAMETER</li> </ul>	<ul> <li>LOADING</li> </ul>		
Capacity: 1.2L	1PC/BOX		
Rated Power: 1000W	20'GP:1161 PCS		
N.W.: 2.7Kg	40'GP:2344PCS		
G.W.: 3.2Kg	40'HQ:2345PCS		
Product Size:271x227x260(mm)	45'HQ:2660PCS		



# Mini Blender

#### TXMB2301

#### PRODUCT FUNCTION

Touch screen control panel

Function: Soy Milk, Grain Paste, Corn Paste, Rice Paste, Fruit Juice, Vegetable Juice,

Tea, boiled water, Puree, Keep Warm, etc.

Microcrystalline film heating

Capacity is 1.2L

Detachable base

 PRODUCT PARAMETER LOADING Capacity: 1.2L 1PC/BOX Rated Power: 1000w 20GP:2304PCS N.W.: 2.7Kg 40GP:4700PCS G.W.: 3.3Kg 40HQ:5292PCS Product Size:200\*154\*268(mm) COLOR



# Mini Blender

#### TXMB2302

#### PRODUCT FUNCTION

Use the dial to select the desired function which include Soy Milk, Grain Paste, Corn Paste, Rice Paste, Fruit Juice, Vegetable Juice, Tea, boiled water, Puree, Keep Warm, etc.

Microcrystalline film heating

Capacity is 1.2L

Detachable base

Can be used as a blender and food processor

• PRODUCT PARAMETER • LOADING Capacity: 1.2L 1PC/BOX Rated Power: 1000w 20GP:2304PCS N.W.: 2.7Kg 40GP:4700PCS G.W.: 3.3Kg 40HQ:5292PCS Product Size:219\*142\*263(mm) • COLOR



# Muliti Cooker

#### TXMC2301

#### PRODUCT FUNCTION

See through glass container,

Capacity is 1.8L

Digital control pannel

Function: Pasta, Soup/Porridge, Keep Warm, Hot Pot, Steam

With a removable stirring arm on the lid cover, which can be used under the function

of Noodle / Pasta, Soup / Porridge to avoid sticking during cooking

 PRODUCT PARAMETER LOADING Capacity: 1.2L 1PC/BOX Rated Power: 800w 20GP:2000PCS N.W.: 2.2Kg 40GP:4050PCS G.W.: 2.6Kg 40HQ:4500PCS Product Size:200\*200\*204(mm) COLOR











# **Multi Cooker**

#### **TXMC 1203**

# PRODUCT FUNCTION

Digital control panel with LED display.

Function: Brown, Slow Cook, Simmer, Reheat, Keep Warm Deep stamped aluminum alloy inner pot with ceramic coating, durable and

easy to clean, also can be used on stove

Silicone pot handle, easy to take out the pot

With cord wrap closure

Two heating element on the bottom

• PRODUCT PARAMETER • LOADING Capacity:6L 1PC/BOX Rated Power: 1350W(US/EU version) 20'GP: 364PCS N.W.: 8.58Kg 40'GP:791PCS G.W.: 9.45Kg 40'HQ:904PCS Product size:498\*341\*287(mm) 45'HQ:1024PCS

• COLOR



# **Multi Cooker**

#### TXMC 1205

#### PRODUCT FUNCTION

Digital control panel with LED display.

Function: Brown, Slow Cook, Simmer, Stew, Reheat, Keep Warm

Deep stamped aluminum alloy inner pot with ceramic coating, durable and

easy to clean, also can be used on stove Tempered see-through glass lid, make the whole cooking process is visible

Two heating element on the bottom

• LOADING

#### • PRODUCT PARAMETER

1PC/BOX Capacity:6L Rated Power: 1350W(US/EU version) 20'GP: 364PCS N.W.: 8.58Ka 40'GP:791PCS G.W.: 9.45Kg 40'HQ:904PCS Product size:498\*341\*287(mm) 45'HQ:1024PCS

COLOR



# **Multi Cooker**

#### **TXMC 1001**

#### PRODUCT FUNCTION

Touch screen control panel with LCD display.

Function: Slow Cook, Sear, Reserve, Braise, Saute, Keep Warm, Preheating,

Cooking, Keep warm

Cast iron pot and lid, durable, also can be used in oven and on stove Plastic lip handle/housing /housing handle/control panel/foot, the color can be black, light grey or dark grey, etc.

• PRODUCT PARAMETER

 LOADING Capacity: 4.5L 1PC/BOX Rated Power: 1000W 20'GP:560PCS N.W.: 7.7Kg 40'GP:1160PCS G.W.: 8.7Kg 40'HQ:1449PCS

Product size:364\*313\*267(mm)

• COLOR





# Variety of life

Various products with various cooking, satisfying all your food cravings. Live a variety life.















PRODUCT/MODEL	Simple Rice Cooker TX-06G	Iron Pot Cooker TX-05Q	Simple Rice Cooker TX-14N	Simple Rice Cooker TX-14	Simple Rice Cooker TX-18	Fondue TXFD-301	Pressure Cooker TPC-RH50A1
FUNCTION	Cook Rice, Keep Warm	Slow Cook, Brown/Saute, Steam, Porridge, Brown Rice, White Rice	White Rice, Brown Rice, Saute, Steam, Keep Warm.	Cook Rice, Keep Warm	Cook Rice, Keep Warm	Knob control on the probe for variety temperature settings, suitable for chocolate, cheese, broth and oil	Mechanical control panel, with knob to adjust cooking time, maximum 90 minutes Function: Pressure Cook Aluminum inner pot with non-stick coating Top lid handle, easy to lift up
COLOR	• • •	• • •	• • •	• • •	• • •	• •	•
POWER	300W	1000W	500W	500W	700W	1000W	1000W
CAPACITY	0.6L (3-cup)	4.5L	1.4L (7-cup)	1.4L (7-cup)	1.8L (10-cup)	зат	350*303.5*315 (mm)
LOADING	4PCS/BOX With Stainless steamer 20°CP-2160PCS 40°CP-4410PCS 40°HQ.4900PCS 45°HQ.5100PCS	1PC/BOX 20GP:972PCS 40 GP:2052PCS 40 HQ:2280PCS	2PCS/BOX 20'GP.112DPCS 40'GP:2296PCS 40'HQ:2624PCS	4PCS/BOX With Stainless steamer 20/GP-2160PCS 40/GP-2410PCS 40/HQ.4900PCS 45/HQ.5100PCS	2PCS/BOX 20'GP:1134PCS 40'GP:2394PCS 40'HQ:3026PCS	1PC/BOX 20'GP: 1451PCS 40'GP:2969PCS 40'HQ:3240PCS 45'HQ:3744PCS	2PCS/BOX 20GP-576PCS 40GP-1260PCS 40HQ:1260PCS

35



# Variety of life

Various products with various cooking, satisfying all your food cravings. Live a variety life.















PRODUCT/MODEL	Roaster Oven TX-712BT	Contact Grill CTG-12	Skillet TXSK-11	Single Burner TXSB-301	Grill GP5833/GP4626	Electric Grill GE4628A	Grill GP3053
FUNCTION	With the big capacity, normally use to roast the turkey	Grill, Waffle	Knob control on the probe for variety temperature settings, suitable for chocolate, cheese, broth and oil	Use the knob to adjustadjust three different setting of high, med, low	Knob control on the probe for variety temperature settings Water-based non-stick coating Black(Bakelite/Aluminum handle) Stonite and granite(Bakelite/Aluminum handle) Technics:Die Casting Aluminum	Digital control for variety temperature settings Black Water-based, non-stick coating, Black/Stonite and granite Technics:Die Casting Aluminum	Knob control on the probe for variety temperature settings Black Water-based non-stick coating Black (Bakelite/Aluminum handle) Stonite and granite(Bakelite/Aluminum handle) Technics: Die Casting Aluminum
COLOR	• •	• •	•	•	• •	• •	• • •
POWER	1450W	1800W(US version); 2200W(EU version)	1200W	900W	2550W / 2300W	2400W-2600W	1800W
CAPACITY	22 <b>0</b> T	360*354*195(mm)	11 * 11 inch	230°230°93 (mm)	670*330*95(mm) / 550*270*87 (mm)	600*300*80(mm)	530*305*95(mm)
LOADING	1PC/BOX 20'GP: 364PCS 40'GP: 791PCS 40'HQ: 904PCS 45'HQ: 1024PCS	1PC/BOX 20'GP: 520PCS 40'GP:1120PCS 40'HQ:1439PCS	1PC/BOX 20'GP:1400 40'GP:2856 40'HQ:3264	2PCS/BOX 20'GP.2800PCS 40'GP.5600PCS 40'HQ.6400PCS	4PCS/BOX 4PCS/BOX 20'GP.720PCS 20'GP.1344PCS 40'GP.1440PCS 40'GP.2688PCS 40'HQ.1800PCS 40'HQ.2968PCS	2PCS/BOX 20'GP.840PCS 40'GP.1680PCS 40'HQ.1896PCS	4PCS/BOX 20'GP:1320PCS 40'GP:2840PCS 40'HQ:3400PCS

37

